

MINI EXCAVATOR | 50Z-1 / 55Z-1

JCB



OPERATING WEIGHT
4792/5366 kg

ENGINE POWER
33.1kW

BUCKET TEAROUT
38 – 42kN

NEXT GENERATION COMFORT.

With a spacious ROPS/FOPS compliant cab boasting a large easy clean floor, large storage areas and best-in-class controls, our excavator cabs are a great place to work.



COMFORT AND CONTROL

Industry leading digital screen lets you tailor and store settings to put the operator in total control.



NEW GENERATION EFFICIENCY.

With auto idle, one-touch idle and below idle features to reduce engine speed with the engine is not in use.



ZERO TAILSWING

Offering concern-free manoeuvrability - especially in confined spaces. Overhang outside the tracks is eliminated.

NEW GENERATION PERFORMANCE.

Designed to give you greater bucket and dipper tearout, greater dump height and greater lift capacity.



POTENT PERFORMANCE.

We have a powerful Perkins engine which is quiet and efficient allowing for reduced operating costs in a small package.



NEW GENERATION DURABILITY.

Designed to be quite simply the strongest range of machines on the market with 100% steel body work, a heavy duty H-frame undercarriage and dozer and boom ram guards as standard.



POTENT PERFORMANCE.

Graphite impregnated bushes give best-in-class greasing intervals of 500 hours.



NEW GENERATION SERVICE.

Wide-opening service panels makes it easy to access components at ground level keeping downtime to a minimum, including the time it takes to carry out maintenance.




UNRIVALLED CUSTOMER SUPPORT

With 16 regional parts centres and instant technical support, JCB can deliver advice quickly and efficiently to make sure your machine is performing to its full potential.



MINI EXCAVATOR | 50Z-I / 55Z-I



SPECIFICATION.

MODEL	50Z-I	55Z-I
Dig depth	3,327/3,447mm	3,606mm
Service intervals	500 hours	
Transport length	5,353mm	5,518mm
Transport height	2,551mm	
Shipping weight	4,662kg	5,236kg
Width over tracks	1,950mm	



DAILY CHECKS 1 of 7

COOLANT LEVEL

WASHER BOTTLE

BRAKE RESEVOIR

FUEL

DEF

BODYWORK & GLAZING



LWE-1209-2108

001238763

2 Health

1 Failed check

HEALTH ALERTS ACTIONS

HEALTH ALERTS

34
Actions

TAKE ACTION

STANDARD FEATURES.

- 500 hour greasing intervals
- 5-year LiveLink subscription
- Auto kick-down track motors
- 100% steel bodywork
- 2GO hydraulic isolation
- Colour LCD display
- Colour coded hydraulic hoses
- Auto idle and below idle
- 8 power modes

TOUGH TO BEAT IN CUSTOMER SUPPORT.

JCB's worldwide customer support is first class. Whatever you need and wherever you are, we'll be available quickly and efficiently to help make sure your machinery is performing to its full potential.



JCB SERVICE

The global network of JCB Parts Centres is another model of efficiency; with 16 regional bases, we can deliver around 95% of all parts anywhere in the world within 24 hours. Our genuine JCB parts are designed to work in perfect harmony with your machine for optimum performance and productivity.

BACK UP

Our Technical Support Service provides instant access to factory expertise, day or night, while our Finance and Insurance teams are always on hand to provide fast, flexible, competitive quotes.





“These are quite simply the strongest and highest performing next generation of machines we’ve ever built.”

50Z-1/55Z-1 MINI EXCAVATOR

REQUEST A QUOTE

 **JCB**

www.jcb.com

